0		()	K
	Application No.	Applicant(s)	
	10/685,518	KIM ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Christian Wilson	2824	
Th MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due c	d course. THIS
1. This communication is responsive to			
2. The allowed claim(s) is/are 6 and 7.			
3. A The drawings filed on 16 October 2003 are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminsformal PATENT APPLICATION (PTO-152) which gives a process of the priority documents here to comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 6. CORRECTED DRAWINGS (as "replacement sheets") must be comply including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date	e been received. e been received in Application No. 10 cuments have been received in this of this communication to file a reply MENT of this application. hitted. Note the attached EXAMINER es reason(s) why the oath or declarate st be submitted. son's Patent Drawing Review (PTO-	national stage applicati complying with the required or Notation is deficient.	uirements
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			back) of
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT			ote the
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 10162003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amendr 8. ☒ Examiner's Stateme 9. ☒ Other search histor	(PTO-413), te ment/Comment ent of Reasons for Allov	·

Application/Control Number: 10/685,518 Page 2

Art Unit: 2824

DETAILED ACTION

1. Claims 6 and 7 are allowed.

2. The following is an examiner's statement of reasons for allowance: applicant discloses, in the context of the entire claim, a novel method of manufacturing a trench isolation with a step of forming an ion implanting layer on an oxide layer, implanting healing elements in the ion

implanting layer, and diffusing the ion implanted healing elements.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The cited prior art teaches method of depositing healing elements in a trench isolation by ion implanting through an oxide layer in a trench.

- 4. A copy of the search history (EAST and STN) in enclosed.
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christian Wilson whose telephone number is (571) 272-1886. The examiner can normally be reached on weekdays, 7:30 AM to 4 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Elms can be reached on (571) 272-1869. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/685,518

Art Unit: 2824

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christian Wilson, Ph.D. Patent Examiner Art Unit 2824

CDW

VANTHU NGUYEN PRIMARY EXAMINER Page 3